DTX Single-Mode Fiber



Overview

Simply add these powerful modules to your DTX CableAnalyzer to certify, troubleshoot and document your fiber installations – today and tomorrow – with one compact field tester.

Key Takeaways

The DTX-SFM2 is a Fluke Networks single-mode fiber module designed for fast certification and fault location of single-mode fiber using DTX Cable Analyzers. Overview of DTX-SFM2 ModuleThe DTX-SFM2 is a set of two single-mode fiber modules compatible with the Fluke DTX Cable Analyzer Series. Each module integrates a 1310 nm and 1550 nm laser light source, a power meter covering 850–1550 nm, an integrated visual fault locator (VFL), and SC adapters for the power meter.

The set also includes single-mode SC-SC test reference cords to facilitate accurate testing and certification of fiber optic cabling installations. The module has been discontinued but remains widely referenced for its capabilities.

Key Features

Dual Wavelength Testing: Supports 1310 nm and 1550 nm, the standard wavelengths for single-mode fiber testing.

Integrated VF

L: Allows visual identification of breaks or faults in the fiber.

S

© 2026 QK FIBER SYSTEMS - All rights reserved

C Adapter Compatibility: Simplifies connection to single-mode SC connectors. Taptive User Interface: Streamlines setup, reduces errors, and speeds troubleshooting. Reference Wizard: Ensures correct reference setting and eliminates negative loss errors during testing.

Applications

The DTX-SFM2 module is used for certifying single-mode fiber installations, particularly in long-distance or high-speed networks. Single-mode fibers are preferred for these applications because they support only a single propagation mode, minimizing intermodal dispersion and allowing high data rates over long distances. They are commonly used in telecommunications, data centers, and outdoor fiber networks.

Single-

Mode Fiber Characteristics

Core Diameter: Typically a few micrometers, allowing only the fundamental LP01 mode to propagate. Low Dispersion: No intermodal dispersion occurs, making it ideal for high-speed, long-distance transmission. Wavelength Range: Single-mode operation is limited to a specific wavelength range, usually around 1310 nm and 1550 nm, with cut-off wavelengths defining the single-mode region.

Applications: Long-haul communications, high-speed data links, and outdoor installations.

Testing Procedure

Using the DTX-SFM2 with a DTX Cable Analyzer, single-mode fiber testing involves: Setting up test limits for maximum length and allowable loss at 1310 nm and 1550 nm. Connecting the fiber to the module and setting the reference using the wizard. Testing the fiber for loss, faults, and continuity using the integrated power meter and VFL.

Recording results for certification and troubleshooting purposes. The module allows single-fiber testing without requiring an additional source, which simplifies field testing and reduces equipment costs.

Summary

The DTX-SFM2 single-mode fiber module is a high-performance tool for certifying and troubleshooting single-mode fiber networks. Its dual-wavelength capability, integrated VFL, and user-friendly interface make it suitable for long-distance, high-speed fiber optic installations, ensuring accurate and efficient testing. Single-mode fibers themselves are essential for applications requiring low dispersion and high data rates, making the DTX-SFM2 a valuable tool for network professionals.

© 2026 QK FIBER SYSTEMS - All rights reserved

Article Content

DTX Fiber Modules

Simply add these powerful modules to your DTX CableAnalyzer to certify, troubleshoot and document your fiber installations – today and tomorrow – with one compact field tester.

Single Fiber Testing to ANSI/TIA-568-C (SC/APC to

This article will describe the steps required to test a singlemode SC/APC to SC/APC simplex (single) fiber in accordance with ANSI/TIA-568-C

Single fiber testing

You can set the remote unit to a steady source, allowing the testing of a single fiber without the need to purchase an additional source. Rotate the dial to SETUP > Remote End Setup > Far End Source

DTX CableAnalyzer TM Fiber Test Options

Model differences The fiber module sets (DTX-xFM) differ by the type of optical light sources incorpor-ated into each module. The fiber test kit

Fluke Networks DTX-SFM2 DTX Single Mode Fiber

Fluke Networks'' DTX-SFM2 set of two DTX Fiber Modules adds record-fast single mode fiber certification and fault location to the DTX Cable Analyzer Series.

DTX Fiber Modules

Record-fast fiber certification We engineered the DTX Fiber Modules to accelerate testing through exclusive technology and an easy-to-use interface. Press the Autotest button and automatically test

Datasheet: DTX Fiber Module Series

Datasheet: DTX Fiber Module Series With today''s demands on high-speed data networks containing both fiber optic and twisted-pair cabling, it''s more important than ever to certify and document

DTX Compact OTDR

Delivering integrated copper and fiber reports using LinkWare™ Results Management Software OTDR testing provides a graphical signature (trace) of the fiber''s attenuation along its length and can be

Fluke DTX-SFM2/SRU DTX Singlemode Fiber Module 2

© 2026 QK FIBER SYSTEMS - All rights reserved

On Sale Fluke DTX-SFM2/SRU Lan Test Tool. We take purchase orders and can provide special school, government and corporate pricing.

Fluke Networks DTX-1800-MS Single/Multi-mode

On Sale Fluke DTX-1800-MS 120 . We take purchase orders and can provide special school, government and corporate pricing.

ANSI/TIA-568-C testing ST to ST (Duplex Singlemode) DTX-SFM

This article will describe the steps required to successfully certify a singlemode ST to ST duplex fiber link in accordance with ANSI/TIA-568-C using the DTX-SFM fiber adapters. ANSI/TIA-568-C requires the

FLUKE DTX-CLT CERTIFIBER USER MANUAL Pdf Download

View and Download Fluke DTX-CLT CertiFiber user manual online. Optical Loss Test Set. DTX-CLT CertiFiber measuring instruments pdf manual download.

Fluke Networks Singlemode Fiber Modules (DTXSFM2)

Find many great new & used options and get the best deals for Fluke Networks Singlemode Fiber Modules (DTXSFM2) at the best online prices at eBay! Free shipping for many products!

Fluke Networks DTX-SFM2 Singlemode Fiber Module

The DTX-MFM2 fiber module are used with a DTX Series Cable Analyzer to test and certify fiber optic cabling installations.

Recommendation ITU-T G.652 (08/2024)

This document outlines the specifications for a single-mode optical fiber and cable designed for use around the 1310 nm zero-dispersion wavelength, suitable for

Fluke Networks DTX-SFM SingleMode Fiber Set

Designed to work with the DTX CableAnalyzer Series, this set ensures accurate and reliable fiber testing, making it essential for network professionals involved in the installation and maintenance of

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 QK FIBER SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://qualitykitchens.co.za
Technical inquiry: https://qualitykitchens.co.za/project-desk.html
African project coordination: Umhlanga Ridge, Durban, KwaZulu-Natal, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 QK FIBER SYSTEMS - All rights reserved